

G2500P

Genmega presents the G2500P ATM

Building on the great reputation of the 2500 series retail ATM, the G2500P model adds a **Motorized Presenter** module and high-performance cash dispenser to this already **popular and reliable platform**.

The G2500P comes standard with an **8" high-resolution wide-screen LCD**, which can be upgraded to a **10.2" touch-screen**. The receipt printer can also be upgraded to a **3" graphics-capable** for custom branding or coupons. The integrated topper can also be paired with a selection of energy-efficient LED toppers to add visual impact and attract customers.

The G2500P with **Presenter CDU** can be ordered in **single, dual and four cassette** capacity for maximum flexibility. Designed for retail and off-premise locations, the G2500P comes loaded with all the features you expect, including an optional **EMV card reader** and also provides additional hardware configuration choices allowing you to custom fit each machine to the needs of your customer or location.



GENMEGA

www.genmega.com

G2500P



Topper

Optional LED Topper Sign
Can accept custom inserts

Integrated Illuminated Sign

High Visibility LED Sign
Attract Customers

LCD Screen

8 inch diagonal 32-bit color
Backlit TFT LCD panel
800 x 480 Resolution
10.2" touch-screen (Optional)
Customizable Ad Screens

Printer

56mm (2" standard)
80mm (3" optional)
Graphics Capable with 3"

PIN Entry Device

16-key alphanumeric keypad
PCI 3.0 / Interac Certified
Triple-DES (TDES) compliant EPP

Communication

56Kb Internal modem
TCP/IP Ethernet - SSL

CPU

Cortex-A8 CPU (800MHz)
DDR2 256MB SRAM memory
512MB Flash Memory
Windows CE 6.0

Card Reader

DIP Type Card Reader
EMV Optional

ADA

Voice Guidance
Lighted Transaction Guidance
Accessible Keypad Layout

Security

UL291 Business Hours Vault
Dial or Electronic Lock

Cash Dispenser

1~4 1700 Note Removable Cassette
1~4 2000 Note Removable Cassette

Dimensions

Height = 56.3"
Width = 15.8"
Depth = 22.3"
Weight = 235 lbs

Power Requirements:

110/220 VDC - 50/60Hz

Power Consumption:

175w(max), 20w(idle)

www.genmega.com